CONTENTS OF VOLUME 34

Adey, A. W. Scattering of electromagnetic waves by coaxial cylinders, 510.

Adey, A. W. and Britton, J. A microwave waveguide trombone phase shifter, 1112.

Alexander, T. K. See Chadwick, G. B., 381.

Aziz, **R. A.** and **Scott**, **G. D.** The effect of incident atomic velocity on the structure of evaporated silver films, 731.

Bainbridge, G. R. See Isenor, N. R., 993.

Bainbridge, G. R. and Prowse, W. A. The absorption of ultraviolet ionizing radiation in gases, 1038.

Baird, D. C. Current dependence of the superconducting transition, 725.

Baker, G. A., Sr. See Baker, G. A., Jr., 423.

Baker, G. A., Jr. and Baker, G. A., Sr. Structure of the mass increments of isotopes, 423.

Bardeen, J. Interaction between electrons and lattice vibrations, 1171.

Bartholomew, G. A., Litherland, A. E., Paul, E. B., and Gove, H. E. Note on the T=3/2 state in N¹³, 147(L).

Bauer, E. and Wu, T.-Y. Cross sections of dissociative recombination, 1436.

Bekefi, G. and Farnell, G. W. A homogeneous dielectric sphere as a microwave lens, 790.

Bell, R. E. The resolver, a circuit for reducing the counting losses of a scaler, 563.

Bell, R. E. and **Skarsgard, H. M.** Cross sections of (p, xn) reactions in the isotopes of lead and bismuth, 745.

Benedict, W. S., Herman, R., Moore, G. E., and Silverman, S. The strengths, widths, and shapes of infrared lines. I. General considerations, 830. The strengths, widths, and shapes of infrared lines. II. The HCl fundamental, 850.

Benson, C. B. and Hollis Hallett, A. C. The oscillating sphere at large amplitudes in liquid helium, 668.

Benson, G. C. A simple formula for evaluating the Madelung constant of a NaCl-type crystal, 888.

See also van Zeggeren, F., 985.

Benson, G. C., Schreiber, H. P., and Patterson, D. An examination of Verwey's model for the lattice structure of the free surface of alkali halide crystals, 265.

van den Berg, G. J. See Gorter, C. J., 1281.

Bhatia, A. B. and MacDonald, D. K. C. On the thermoelectric power of dilute metallic alloys, 419.

Blackwell, J. H. The axial-flow error in the thermal-conductivity probe, 412.

Blakemore, J. S. Photoconductivity in indium-doped silicon, 938.

Bloembergen, N. Nuclear magnetic resonance and electronic structure of conductors, 1299.
 Boivin, A., Dion, A., and Koenig, H. P. Étude expérimentale de la diffraction des microondes par des ouvertures à symétrie de révolution, 166.

Bolling, G. F., Tiller, W. A., and Rutter, J. W. Growth twins in germanium, 234.

Borelius, G. Phenomenological aspects of the resistivity of pure metals, 1336.

Boucher, R. R. See Runnalls, O. J. C., 949.

Britton, J. See Adey, A. W., 1112.

Brodie, **D. E.** See Johns, M. W., 147(L).

Broida, H. P. See Kiess, N. H., 1471.

Buckmaster, H. A. $\Delta M=\pm 2$ transitions in dilute gadolinium ethyl sulphate, 150(L). $\Delta M=\pm 3$ transitions in dilute gadolinium ethyl sulphate, 341(L).

Buckmaster, H. A. and Scovil, H. E. D. A double magnetic field modulation paramagnetic resonance spectrometer, 711.

Burgess, R. E. Line source with progressive phase shift, 149(L).

Callomon, J. H. An emission spectrum of the diacetylene ion. A study of Schüler's "T" spectrum under high resolution, 1046.

Campbell, L. L. Standard deviation of dead time correction in counters, 929.

Carroll, P. K. The spectrum of CN in the vacuum ultraviolet, 83.

Chadwick, G. B., Alexander, T. K., and Warren, J. B. Gamma radiation from the proton bombardment of boron ten, 381.

Chalmers, B. See Jackson, K. A., 473.

Chambers, R. G. Our knowledge of the Fermi surface, 1395.

Coish, H. R. Infeld factorization and angular momentum, 343.

Collin, R. E. Reflection and transmission at a slotted dielectric interface, 398.

Crawford, G. J. B. and Foster, J. S. Spin echoes in alcohols and derivatives, 653.

Dawson, W. K. Energy and angular distributions of photoprotons produced by 70 Mev. X-rays, 1480.

Dawson, W. K. and Livesey, D. L. The photodisintegration of oxygen nuclei into four alpha-particles, 241.

Dion, A. See Boivin, A., 166.

Dixon, W. R. See Trainor, L. E. H., 229.

Douglas, R. A., Gasten, B. R., and Mukerji, A. Production and properties of C15, 1097.

Duckworth, H. E. See Eve, C. F., 896(L); Isenor, N. R., 993.

Eastman, P. C. See Isenor, N. R., 993.

Edwards, M. H. The index of refraction of liquid helium, 898(L).

Edwards, M. H. and Rogers, D. H. Comments on an experiment with persistent currents, 619.

Eichholz, G. G. and Krzyzewski, J. V. The half-life of mercury-203, 1167.

Embleton, T. F. W. The radiation force on a spherical obstacle in a cylindrical sound field, 276.

Ericksen, J. L. Stress deformation relations for solids, 226.

Eve, C. F. and Duckworth, H. E. The luminescent response of silver activated zinc sulphide to lithium ions of different energies, 896(L).

Farnell, G. W. See Bekefi, G., 790.

Feldman, T., Romanko, J., and Welsh, H. L. The Raman spectrum of ethylene, 737.

Feldman, T., Shepherd, G. G., and Welsh, H. L. The Raman spectrum of acetylene, 1425. Fenton, K. B. See Rose, D. C., 968.

Filmer, A. I. See Hutchison, T. S., 159.

Forsyth, P. A. and Vogan, E. L. The duration of forward-scattered signals from meteor trails, 535.

Foster, J. S. See Crawford, G. J. B., 653.

Frederikse, H. P. R. and Hosler, W. R. Galvanomagnetic effects in n-type InSb at 4.2° K., 1377.

Friedel, J. On some electrical and magnetic properties of metallic solid solutions, 1190.

Gambling, W. A. Cathodic glow-to-arc transitions, 1466.

Garrett, C. and Geiger, K. W. A new Canadian primary radium standard, 1075.

Gasten, B. R. See Douglas, R. A., 1097.

Geiger, K. W. Evaporation neutrons from cosmic ray nuclear interactions in various elements, 288.
See also Garrett, C., 1075.

Geoffrion, C. See Giroux, G., 153.

Geoffrion, C. and Giroux, G. An optimum parameter beta-ray spectrometer, 920.

Giroux, G. See Geoffrion, C., 920.

Giroux, G. and Geoffrion, C. Detection of electrons in the very low energy range, 153.

Godbole, E. W. The normal cathode fall in a-c. glows, 616.

Gorter, C. J. On the magnitude of the contribution of a circulation effect to the thermal conductivity of a superconductor, 1334.

Gorter, C. J., van den Berg, G. J., and de Nobel, J. Remarks on the anomalous behavior of alloys containing traces of manganese or similar elements, 1281.

Gove, H. E. See Bartholomew, G. A., 147(L).

Griffiths, G. M. The resonant absorption of γ -rays by N¹⁴, 339(L).

Haering, R. R. and Volkoff, G. M. Nuclear quadrupole resonance spectrum of B¹¹ in kernite, 577.

Hanna, G. C. and Runnalls, O. J. C. Measurement of the neutron yields from actinide-beryllium alloys, 959.

Hansen, R. C. Electromagnetic field solutions for rotational coordinate systems, 893.

Hart, J. and Mungall, A. G. The electrical conductivity of chlorobenzene, 491.

Hartz, T. R., Reid, G. C., and Vogan, E. L. V.H.F. auroral noise, 728(L).

Hedgcock, F. T. Magnetic susceptibility of low resistivity *n*-type germanium, 43. Magnetic susceptibility of rubidium and the electrical resistance anomaly, 1164.

van Heel, A. C. S. Thickness control of thin layers, 1460.

Herman, R. See Benedict, W. S., 830, 850.

Herman, R. and Rubin, R. J. Influence of vibration-rotation interaction on the intensities of pure rotation lines of diatomic molecules, 1119.

Herzberg, G., Lagerqvist, A., and Miescher, E. Fine structure analysis and mutual perturbation of the δ and β bands of the NO molecule, 622(L).

Herzberg, G. and Shoosmith, J. Absorption spectrum of free CH₃ and CD₃ radicals, 523(L).

Hines, C. O. and Pugh, R. E. The spatial distribution of signal sources in meteoric forward-scattering, 1005

Hobson, J. P. The reflection of slow electrons from tantalum and copper, 1089.

Hollis Hallett, A. C. See Benson, C. B., 668.

Holuj, F. and **Petch, H. E.** The nuclear magnetic resonance spectrum of Na²² in NaH₂PO₄·2H₂O₄, 1169(L).

Hosler, W. R. See Frederikse, H. P. R., 1377.

Hull, T. E. and Julius, R. S. Enclosed quantum mechanical systems, 914.

Hurd, R. A. End-fire arrays of magnetic line sources mounted on a conducting half-plane, 370. Radiation patterns of a dielectric-coated axially-slotted cylinder, 638.

Hutchison, T. S. and Filmer, A. J. Attenuation of 5 Mc. sound in aluminum at low temperatures, 159.

Hutchison, T. S. and Hutton, G. J. Mechanism of dislocation locking in attenuation of high frequency sound at low temperatures, 1498.

Hutton, G. J. See Hutchison, T. S., 1498.

International Conference on Electron Transport in Metals and Solids, 1171-1423.

Isenor, N. R., Bainbridge, G. R., Eastman, P. C., and Duckworth, H. E. A note on the effect of the residual gas pressure upon the spacing of mass spectroscopic doublets, 993.
 Jackson, J. D. A schematic model for (p, xn) cross sections in heavy elements, 767.

Jackson, K. A. and Chalmers, B. Kinetics of solidification, 473.

Jacobs, I. S. See Schmitt, R. W., 1285.

Jacobs, J. A. and Obayashi, T. The diurnal behavior of sudden commencements of magnetic storms at Agincourt, 876.

Jakeman, D. Production of cosmic ray mesons at large zenith angles, 432.

Joffé, A. F. Heat transfer in semiconductors, 1342.

Johns, M. W., McMullen, C. C., Williams, I. R., and Nablo, S. V. The decay of Re¹⁸⁶ and Re¹⁸⁸, 69.

Johns, M. W., Williams, I. R., and Brodie, D. E. The role of the 1.30 Mev. gamma-ray in the decay of In¹¹⁴, 147(L).

Jones, G. and Warren, J. B. The lifetime of positrons annihilating in aluminum, 1033.

Julius, R. S. See Hull, T. E., 914.

Katzman, J. See Rose, D. C., 1, 884, 968.

Kelly, F. M. and Sutherland, J. B. A note on optical hyperfine structure in Cd II, 521.

Kerwin, L. Some upper limits of isotopic abundance—I: A, Mn, and Cd, 1080.

Kerwin, L. and McElcheran, D. E. Some upper limits of isotopic abundance—II: Ne, Cl, and Ga, 1497.

Kiess, N. H. and Broida, H. P. Spectrum of the C₃ molecule between 3600 Å and 4200 Å, 1471.

Klemens, P. G. Electrical resistance due to lattice imperfections in metals, 1212.

Koenig, H. P. See Boivin, A., 166.

Korringa, J. On the resistivity anomalies in some diluted alloys, 1290.

Krause, L. and Welsh, H. L. The Raman spectrum of dideuteroacetylene, 1431.

Krzyzewski, J. V. See Eichholz, G. G., 1167.

Kubo, R. A general expression for the conductivity tensor, 1274.

Lagerqvist, A. See Herzberg, G., 622(L).

Lancaster, **J. E.** and **Stoicheff**, **B. P.** High resolution Raman spectroscopy of gases. VII. Rotational spectra of s-triazine and s-triazine-d₃, 1016.

Langseth, A. and Stoicheff, B. P. High resolution Raman spectroscopy of gases. VI. Rotational spectrum of symmetric benzene-d₃, 350.

Litherland, A. E. See Bartholomew, G. A., 147(L).

Livesey, D. L. Range-energy relations for light nuclei in air and nuclear emulsion, 203. $(\gamma, p + \alpha)$ reactions produced in photographic emulsions, 216.

The photoprotons emitted from oxygen-16 nuclei, 1022.

See also Dawson, W. K., 241.

Lofthus, A. Emission band spectra of nitrogen. The Lyman-Birge-Hopfield system, 780.

MacDonald, A. D. and Matthews, J. H. Electrical breakdown in argon at ultrahigh frequencies, 395.

MacDonald, D. K. C. See Bhatia, A. B., 419.

MacDonald, D. K. C., Pearson, W. B., and Towle, L. T. An investigation of the sodium-potassium equilibrium diagram, 389.

MacDonald, D. K. C. and Towle, L. T. Integrals of interest in metallic conductivity, 418. McElcheran, D. E. See Kerwin, L., 1497.

McKinley, D. W. R. See Millman, P. M., 50.

McKinley, D. W. R. and McNamara, A. G. Meteoric echoes observed simultaneously by back scatter and forward scatter, 625.

McLay, A. B. See Subbarao, M. K., 546.

McLay, A. B. and Subbarao, M. K. Diffraction of 3.2 cm. electromagnetic waves by dielectric rods. II. Lucite 1½ in. diameter cylinder and semicylinder, 555.

McMullen, C. C. See Johns, M. W., 69.

McNamara, A. G. See McKinley, D. W. R., 625.

Marris, A. W. On fully developed turbulent flow in curved channels, 1134.

Mathai, P. M., Shepherd, G. G., and Welsh, H. L. The Raman spectrum of cyclopropane, 1448.

Matthews, J. H. See MacDonald, A. D., 395.

Mendelssohn, K. Electrical and thermal conductivity of metals, 1315.

Miescher, E. See Herzberg, G., 622(L).

Millman, P. M. and McKinley, D. W. R. Meteor echo durations and visual mignitudes, 50.

Moore, G. E. See Benedict, W. S., 830, 850.

Moore, R. D. See Standil, S., 1126.

Mooser, E. and Pearson, W. B. The chemical bond in semiconductors. The Group V B to VII B elements and compounds formed between them, 1369.

Mott, N. F. On the transition to metallic conduction in semiconductors, 1356.

Mukerji, A. See Douglas, R. A., 1097.

Mungall, A. G. See Hart, J., 491.

Myers, H. P. Paramagnetism of the γ phase in copper manganese alloys, 527.

Nablo, S. V. See Johns, M. W., 69.

Newton, T. D. Shell effects on the spacing of nuclear levels, 804.

Nielsen, H. H. See Rao, K. N., 1147.

Niven, C. D. On the effect of speed on the kinetic friction of some plastic materials on ice, 362.

de Nobel, J. See Gorter, C. J., 1281.

Obayashi, T. See Jacobs, J. A., 876.

Ogilvie, K. W. A note on the zenith angle dependence of cosmic ray protons at sea level, 1081.

Okashimo, K. See Wait, J. R., 190.

Patterson, D. See Benson, G. C., 265.

Paul, E. B. See Bartholomew, G. A., 147(L).

Pearson, W. B. See MacDonald, D. K. C., 389; Mooser, E., 1369.

Petch, H. E. See Holuj, F., 1169(L).

Pines, D. Electron interaction in solids, 1379.

Preston, M. A. See Shapiro, J., 451.

Prigogine, I. On the statistical mechanics of irreversible processes, 1236.

Proceedings of the International Conference on Electron Transport in Metals and Solids, 1171-1423.

Prowse, W. A. See Bainbridge, G. R., 1038.

Pugh, R. E. The number density of meteor trails observable by the forward-scattering of radio waves, 997. See also Hines, C. O., 1005.

Rao, K. N. and Nielsen, H. H. Fermi diad 1000 and 0200 of nitrous oxide, 1147.

Redhead, P. A. Periodic fluctuations in oxide-cathode diodes, 1077.

Reid, G. C. See Hartz, T. R., 728(L).

Robinson, G. W. Some results of the high dispersion electronic emission spectrum of formaldehyde, 699.

Rogers, D. H. See Edwards, M. H., 619. Romanko, J. See Feldman, T., 737.

Rose, D. C., Fenton, K. B., Katzman, J., and Simpson, J. A. Latitude effect of the cosmic ray nucleon and meson components at sea level from the Arctic to the Antarctic.

Rose, D. C. and Katzman, J. The geomagnetic latitude effect on the nucleon and meson component of cosmic rays at sea level, 1. The sudden increase in cosmic ray intensity of February 23, 1956, 884.

Roulston, K. I. See Williams, R. C., 1087(L).

Rubin, R. J. See Herman, R., 1119.

Runnalls, O. J. C. See Hanna, G. C., 959.

Runnalls, O. J. C. and Boucher, R. R. Neutron yields from actinide-beryllium alloys, 949

Rutter, J. W. See Bolling, G. F., 234; Tiller, W. A., 96.

Sample, J. T. Small-angle scattering of fast polarized neutrons by heavy nuclei, 36.

Scheidegger, A. E. Finite displacements in rheological bodies, 498. Correlation tensors in statistical hydrodynamics in porous media, 692.

Schmitt, R. W. and Jacobs, I. S. Magnetization and magnetoresistance of some dilute alloys of Mn in Cu, 1285.

Schreiber, H. P. See Benson, G. C., 265.

Scott, G. D. See Aziz, R. A., 731.

Scovil, H. E. D. See Buckmaster, H. A., 711.

Seeger, A. On the electrical resistivity of stacking-faults in monovalent metals, 1219. A variational principle for conduction phenomena in the presence of a magnetic field or asymmetric scattering mechanisms, 1278.

Shapiro, J. and Preston, M. A. A study of nucleon forces with repulsive cores. II. Low energy properties, particularly charge independence, 451.

Shepherd, G. C. See Feldman, T., 1425; Mathai, P. M., 1448.

Shoosmith, J. See Herzberg, G., 523(L).

Silverman, S. See Benedict, W. S., 830, 850.

Simpson, J. A. See Rose, D. C., 968.

Skarsgard, H. M. See Bell, R. E., 745.

Skinner, R. A quantum mechanical description of collective motions, 901.

Sondheimer, E. H. Electron-phonon equilibrium and the transport phenomena in metals at low temperatures, 1246.

Stacey, F. D. The behavior of ferromagnetics under strong compression, 304.

Standil, S. and Moore, R. D. Absolute pair production cross section of lead at 2.76 Mev., 1126.

Stewart, J. D. Some notes on the theory of thermal-neutron reactors, 20.

Stewart, R. W. A new look at the Reynolds' stresses, 722.

Stoicheff, B. P. See Lancaster, J. E., 1016; Langseth, A., 350.

Storey, L. R. O. A method to detect the presence of ionized hydrogen in the outer atmosphere, 1153.

Subbarao, M. K. See McLay, A. B., 555.

Subbarao, M. K. and McLay, A. B. Diffraction of 3.2 cm. electromagnetic waves by dielectric rods. I. Lucite and tenite 1 in. diameter cylinders, 546.

Sutherland, J. B. See Kelly, F. M., 521.

Takahashi, Y. The relationship between the statistical and field theoretical treatments of multiple meson production, 378.

Theimer, O. Selection rules and temperature dependence of the first-order Raman effect in crystals, 312.

Tiller, W. A. Alloy dendritic growth, 729(L). See also Bolling, G. F., 234.

Tiller, W. A. and Rutter, J. W. The effect of growth conditions upon the solidification of a binary alloy, 96.

Towle, L. T. See MacDonald, D. K. C., 389, 418.

Trainor, L. E. H. and Dixon, W. R. The possibility of a phase change in nuclear matter, 229. Vogan, E. L. See Forsyth, P. A., 535; Hartz, T. R., 728(L).

Volkoff, G. M. See Haering, R. R., 577.

Wait, J. R. Radiation resistance of dipoles in an interface between two dielectrics, 24. Fransient fields of a vertical dipole over a homogeneous curved ground, 27. Low frequency radiation from a horizontal antenna over a spherical earth, 586. Shielding of a transient electromagnetic dipole field by a conductive sheet, 890.

Wait, J. R. and Okashimo, K. Patterns of stub antennas on cylindrical structures, 190. Wallace, P. R. A modification of the one-particle formula for nuclear gamma-radiation, 62.

Warren, J. B. See Chadwick, G. B., 381; Jones, G., 1033.

Webb, E. L. R. On the distribution of the product of diode detector waveforms, 679. Welsh, H. L. See Feldman, T., 737, 1425; Krause, L., 1431; Mathai, P. M., 1448.

White, G. K. Conductivity of metals at low temperatures, 1328.

Wilkinson, P. G. The far ultraviolet (C-X) bands of N₂+, 250. Absorption spectra of benzene and benzene-d₆ in the vacuum ultraviolet, 596. Absorption spectra of ethylene and ethylene- d_4 in the vacuum ultraviolet. II, 643.

Williams, I. R. See Johns, M. W., 69, 147(L).

Williams, R. C. and Roulston, K. I. Gamma-gamma angular correlation in W182, 1087(L). Wolfson, J. L. High-energy forbidden β -ray transitions from Cs¹³⁴ (2.3 yr.), Co⁶⁰ (5.3 yr.), Sc⁴⁶ (84 d.), and Hg²⁰³ (47.9 d.), 256.

Wong, J. Y. On the theory of a coaxial transmission line consisting of elliptic conductors, 354. Woods, S. B. The conductivity of sodium at low temperatures, 223.

Wu, T.-Y. Scattering of an electron by an atom and rearrangement collisions, 179. See also Bauer, E., 1436.

Yagoda, H. Observations on stars and heavy primaries recorded in emulsions flown in Viking rocket No. 9, 122.

van Zeggeren, F. and Benson, G. C. The quantum mechanical calculation of the surface energy of sodium chloride—A first approximation, 985.

Ziman, J. M. The general variational principle of transport theory, 1256.

CORRECTIONS

In equation (15a), $\pi(\gamma^0/(W^0)^2$ should read $\pi(\gamma^0/W^0)^2$. p. 839.

The right-hand side of equation (1) should read $-\alpha_M(e/a)$. In equation (7), $\exp[-\pi(l_1^2+l_2^2)^{\frac{1}{2}}]$ should read $\exp[-\pi\eta(l_1^2+l_2^2)^{\frac{1}{2}}]$. In equation (8), -(e/a) should read $-(e^2/a)$. p. 888. p. 889.

